



# CRUCIFERS WEEKLY CROP CARE GUIDE (CABBAGE/CAULIFLOWER/BROCCOLI)

STAGE	TREATMENT
LAND PREPARATION	Clear land with <b>Glypos Maxx SL</b> or <b>Glyphos AG 41</b> 30 mL/3.8 L water or <b>Scorcher</b> or <b>Paraquat Super</b> 30 mL/3.8 L
NURSERY PRODUCTION	<b>Seedling trays - TH Germination mix</b> in 128 or 200 cell trays. At 2-3 leaf stage apply: <b>Bio 20</b> 10 mL + <b>Phortify</b> 5 mL + <b>Greenstim</b> 5 mL in 3.8 L water or <b>Agaleaf Rootmax 30-10-10</b> in 15 g/3.8 L water + <b>Greenstim</b> 5 mL in 3.8 L water
TRANSPLANTING	Seedlings 2-3 leaf stage apply <b>Sol-U-Gro Kickstart</b> 10 g + <b>Caratrx 5 EC</b> 2.5 mL/ 3.8 L or <b>Diazinon</b> 15 mL/3.8 L + <b>Nu Film-P</b> 2.5 mL/3.8 L water <b>Abodom 14-28-14</b> + <b>Sulphate of Ammonia</b> or <b>Elixir 15-15-15+11%S</b> + <b>Amosulfan</b>
WEEK 1	Apply <b>Caratrx 5 EC</b> 2.5-5 mL/3.8 L + <b>Nu Film-P</b> 2.5-5 mL/3.8 L water + <b>Acrobat MZ 69 WP</b> 10-20 g/3.8 L. <b>Omex Bio 20</b> + <b>Phortify</b> 10 mL/3.8 L or <b>Agaleaf Rootmax 30-10-10</b> in 15 g/3.8 L water + <b>RootMax 10-50-10</b> 10 g/ 3.8 L
WEEK 2	Apply <b>Topsin M 70% WP</b> 15-20 g + <b>Indicarb 14.5 SC</b> 10 mL + <b>Nu-Film-P</b> 2.5-5 mL/3.8 L water <b>Omex Bio 20</b> + <b>Phortify</b> 10 mL/3.8 L
WEEK 3	Apply <b>Cure 1.8 EC</b> 2.5-5 mL + <b>Mancozeb 80 WP</b> 30 g or <b>Sulcox-OH 50</b> 20 g/3.8 L. <b>Omex Bio 20</b> 10 mL + <b>Phortify</b> 10 mL + <b>Nu Film-P</b> 2.5-5 mL/3.8 L water
WEEK 4	Apply <b>MiMiC</b> 5-10 mL/3.8 L + <b>Topsin M 70% WP</b> 15-20 g or <b>Carbendazim</b> 2.5-5 mL/ 3.8 L + <b>Nu film-P</b> 2.5-5 L/3.8 L <b>Agaleaf NutreMax 20-20-20</b> 10g/ 3.8 L or <b>Omex Bio 20</b> + <b>Phortify</b> 10 mL/ 3.8L <b>Granular Fertilizer: Elixir 15-15-15+11%S</b> + <b>Amosulfan</b> or <b>Abodom 11-22-22</b> + <b>Sulphate of Ammonia</b>
WEEK 5	Apply <b>OMEX Bio 20</b> 15 mL/3.8 L + <b>OMEX Phortify</b> 15 mL/3.8 L + <b>Indicarb 14.5 SC</b> 10 mL + <b>Nu Film-P</b> 2.5-5 mL/3.8 L water <b>Agaleaf Nutremax 20-20-20</b> 20 g/3.8 L water.
WEEK 6	Apply <b>Caratrx</b> 5 mL/3.8 L + <b>MiMiC</b> 10 mL/3.8 L + <b>Mancozeb 80 WP</b> 30 g/3.8 L + <b>Nu Film-P</b> 2.5-5 mL/3.8 L water. <b>OMEX Calmax B</b> 20 mL/3.8 L + <b>OMEX Phortify</b> 15 mL/3.8 L
WEEK 7	Apply <b>Definite 2.5 EC</b> 10 mL + <b>Carbendazim 50SC</b> 2.5-5 mL/3.8L + <b>Nufilm-P</b> 2.5-5 mL/3.8 L water <b>Phortify</b> 15 mL + <b>Calmax B</b> 15 mL/3.8 L <b>Granular Fertilizer: Elixir 7-20-30+3%S</b> or <b>Abodom 15-5-35</b>
WEEK 8	Apply <b>Cure 1.8 EC</b> 2.5-5 mL + <b>Mancozeb 80 WP</b> 30 g/3.8 L + <b>Nu Film-P</b> 2.5-5 mL + <b>OMEX Calmax B</b> + <b>Phortify</b> 20 mL/3.8 L water
WEEK 9	Apply <b>Caratrx 5 EC</b> 2.5-5 mL/3.8 L + <b>Carbendazim 50SC</b> 2.5-5mL/3.8 L + <b>Nu Film-P</b> 2.5-5 mL
WEEK 10	Apply <b>Refas</b> 75 mL/3.8 L + <b>Nu Film-P</b> 2.5-5 mL/ 3.8 L water
SPECIAL NOTES	<b>Tropi-Gro Moisture Max</b> 60 mL/1 L of water during drought conditions. Before <b>Tropi-Gro Moisture Max</b> is applied to the area, the area has to be wet thoroughly. Precaution must be taken to have the <b>Tropi-Gro Moisture Max</b> touch the leaves of the plant. If the leaves get in contact with <b>Tropi-Gro Moisture Max</b> they should be immediately washed with water.

